

Presented studies at the Lunch Symposium:

**Re-infections and the role of bone cement.
Rethinking local antibiotic strategies**

EBJIS congress, 12.10.2023

Inhalt

Part 1 Re-infection basics: 1
 Re-infection basics from the infection disease perspective 1
 Why are re-infections a problem? Patient perspective and re-revision data 2
 Part 2: Prevention of re-infection and the role of local antibiotics 2
 Why antibiotic combinations and which combinations work? 2
 Clinical experiences with dual antibiotic-loaded bone cement 3

Part 1 Re-infection basics:

Re-infection basics from the infection disease perspective

Abdelaziz H, Grüber H, Gehrke T, Salber J, Citak M. What are the Factors Associated with Re-revision After One-stage Revision for Periprosthetic Joint Infection of the Hip? A Case-control Study. *Clin Orthop Relat Res* 2019; 477(10):2258–63.

Goswami K, Clarkson S, Phillips CD, Dennis DA, Klatt BA, O'Malley MJ et al. An Enhanced Understanding of Culture-Negative Periprosthetic Joint Infection with Next-Generation Sequencing: A Multicenter Study. *J Bone Joint Surg Am* 2022; 104(17):1523–9.

Riaz T, Tande AJ, Steed LL, Demos HA, Salgado CD, Osmon DR et al. Risk Factors for Fungal Prosthetic Joint Infection. *J Bone Jt Infect* 2020; 5(2):76–81.

van Kasteren MEE, Manniën J, Ott A, Kullberg B-J, Boer AS de, Gyssens IC. Antibiotic prophylaxis and the risk of surgical site infections following total hip arthroplasty: timely administration is the most important factor. *Clin Infect Dis* 2007; 44(7):921–7.

Wouthuyzen-Bakker M, Kheir MM, Moya I, Rondon AJ, Kheir M, Lozano L et al. Failure After 2-Stage Exchange Arthroplasty for Treatment of Periprosthetic Joint Infection: The Role of Antibiotics in the Cement Spacer. *Clin Infect Dis* 2019; 68(12):2087–93.

Wouthuyzen-Bakker M, Löwik CAM, Ploegmakers JJW, Knobben BAS, Dijkstra B, Vries AJ de et al. A Second Surgical Debridement for Acute Periprosthetic Joint Infections Should Not Be Discarded. *J Arthroplasty* 2020; 35(8):2204–9.

Wouthuyzen-Bakker M, Tornero E, Claret G, Bosch J, Martinez-Pastor JC, Combalia A et al. Withholding Preoperative Antibiotic Prophylaxis in Knee Prosthesis Revision: A Retrospective

Analysis on Culture Results and Risk of Infection. *J Arthroplasty* 2017; 32(9):2829–33. Wan RCW, Liu WH, Ng RWK, Tso CY, Chow SK-H, Cheung W-H et al. Dangers with cementation under low-viscosity state: Cement arterio-venogram and bone cement implantation syndrome. *Trauma Case Rep* 2021; 35:100517. doi: 10.1016/j.tcr.2021.100517.

Donaldson AJ, Thomson HE, Harper NJ, Kenny NW. Bone cement implantation syndrome. *Br J Anaesth* 2009; 102(1):12–22. doi: 10.1093/bja/aen328.

Why are re-infections a problem? Patient perspective and re-revision data

Bosco F, Cacciola G, Giustra F, Risitano S, Capella M, Vezza D et al. Characterizing recurrent infections after one-stage revision for periprosthetic joint infection of the knee: a systematic review of the literature. *Eur J Orthop Surg Traumatol* 2023; 33(7):2703–15.

Grimberg A, Lützner J, Meldheimer O, Morlock M, Steinbrück A. The German Arthroplasty Registry (EPRD): Annual Report 2022. EPRD gGmbH; 2023. (German Arthroplasty Registry Annual Report 2022; vol 2022).

Thompson O, W-Dahl A, Stefánsdóttir A. Increased short- and long-term mortality amongst patients with early periprosthetic knee joint infection. *BMC Musculoskelet Disord* 2022; 23(1):1069.

Walter N, Rupp M, Bärtl S, Uecker C, Alt V. The Definition of the Term "Orthogeriatric Infection" for Periprosthetic Joint Infections. *Geriatr Orthop Surg Rehabil* 2022; 13:21514593221111649.

The German Arthroplasty Registry (EPRD): Annual Report 2022, <https://www.erpd.de/en/downloads/reports> DOI: 10.36186/reporteprd072023

Part 2: Prevention of re-infection and the role of local antibiotics

Why antibiotic combinations and which combinations work?

Cara A, Ballet M, Hemery C, Ferry T, Laurent F, Josse J. Antibiotics in Bone Cements Used for Prosthesis Fixation: An Efficient Way to Prevent *Staphylococcus aureus* and *Staphylococcus epidermidis* Prosthetic Joint Infection. *Front Med (Lausanne)* 2020; 7:576231.

Ensing GT, van Horn JR, van der Mei HC, Busscher HJ, Neut D. Copal bone cement is more effective in preventing biofilm formation than Palacos R-G. *Clin Orthop Relat Res* 2008; 466(6):1492–8.

Sliepen J, Corrigan RA, Dudareva M, Wouthuyzen-Bakker M, Rentenaar RJ, Atkins BL et al. Does the Use of Local Antibiotics Affect Clinical Outcome of Patients with Fracture-Related Infection? *Antibiotics (Basel)* 2022; 11(10).

Wouthuyzen-Bakker M, Kheir MM, Moya I, Rondon AJ, Kheir M, Lozano L et al. Failure After 2-Stage Exchange Arthroplasty for Treatment of Periprosthetic Joint Infection: The Role of Antibiotics in the Cement Spacer. *Clin Infect Dis* 2019; 68(12):2087–93.

Clinical experiences with dual antibiotic-loaded bone cement

Jenny J-Y, Hamon M, Klein S, Reiter-Schatz A, Rondé-Oustau C, Boéri C et al. Cement Loaded With High-Dose Gentamicin and Clindamycin Reduces the Risk of Subsequent Infection After One-Stage Hip or Knee Arthroplasty Exchange for Periprosthetic Infection: A Preliminary Study. *J Arthroplasty* 2021; 36(12):3973–8.

Sanz-Ruiz P, Matas-Diez JA, Villanueva-Martínez M, Santos-Vaquinha Blanco AD, Vaquero J. Is Dual Antibiotic-Loaded Bone Cement More Effective and Cost-Efficient Than a Single Antibiotic-Loaded Bone Cement to Reduce the Risk of Prosthetic Joint Infection in Aseptic Revision Knee Arthroplasty? *J Arthroplasty* 2020; 35(12):3724–9. Available from: URL: <https://www.sciencedirect.com/science/article/pii/S0883540320307105>.