

Erfolgsfaktoren in der zementierten Hüftschaftversorgung – Evidenz und klinische Praxis am Beispiel

Top Literatur

- 1 Vorteile der Zementierung bei Schenkelhalsfrakturen
- 2 Vorteile der Zementierung beim älteren Patienten mit Hüftarthrose
- 3 Weitere Erfolgsfaktoren beim älteren Patienten mit Hüftarthrose
- 4 Komplikation Protheseninfektion: Dualbeladener Knochenzement zur Infektprophylaxe
- 5 Komplikation Implantationssyndrom: Risikofaktoren und Strategien zur Vermeidung von kardiopulmonalen Reaktionen

1 Vorteile der Zementierung bei Schenkelhalsfrakturen (SHF)

Fernandez et al. (WHITE 5 trial) Cemented or Uncemented Hemiarthroplasty for Intracapsular Hip Fracture. **610 patients (60 years of age or older)**. N Engl J Med **2022**; 386:521-530. [DOI: 10.1056/NEJMoa2108337](https://doi.org/10.1056/NEJMoa2108337)

Kristensen et al. Cemented or Uncemented Hemiarthroplasty for Femoral Neck Fracture? Data from the Norwegian Hip Fracture Register. **30,178 patients (age 70-104)**. Clin Orthop Relat Res (**2019**) 00:1-11. [DOI: 10.1097/CORR.0000000000000826](https://doi.org/10.1097/CORR.0000000000000826)

Parker et al. Cemented or uncemented hemiarthroplasty for displaced intracapsular fractures of the hip: a randomized trial of 400 patients. Bone Joint J **2020**;102-B(1):11–16. [DOI: 10.1302/0301-620X.102B1.BJJ-2019-1041.R1](https://doi.org/10.1302/0301-620X.102B1.BJJ-2019-1041.R1)

Viberg et al. Risk of mortality and reoperation in hip fracture patients undergoing cemented versus uncemented hemiarthroplasty. 17,671 patients. Bone Joint J **2022**;104-B(1):127–133. [DOI: 10.1302/0301-620X.104B1.BJJ-2021-0523.R1](https://doi.org/10.1302/0301-620X.104B1.BJJ-2021-0523.R1)

2 Vorteile der Zementierung beim älteren Patienten mit Hüftarthrose

Endoprothesenregister Deutschland: [EPRD Jahresbericht 2022](#)

Bunyozy et al. Has the Use of Fixation Techniques in THA Changed in This Decade? The uncemented Paradox Revisited. Clin Orthop Relat Res (**2020**) 478:697-704. [DOI: 10.1097/CORR.0000000000001117](https://doi.org/10.1097/CORR.0000000000001117)

Tanzer et al. Is Cemented or Cementless Femoral Stem Fixation More Durable in Patients Older Than 75 Years of Age? A Comparison of the Best-performing Stems. Clin Orthop Relat Res (**2018**) 476:1428-1437 [DOI: 10.1097/01.blo.0000533621.57561.a4](https://doi.org/10.1097/01.blo.0000533621.57561.a4)

Mäkelä et al. Failure rate of cemented and uncemented total hip replacements: register study of combined Nordic database of four nations. (347 899 patients) BMJ **2014**; 348: f7592 [DOI: 10.1136/bmj.f7592](https://doi.org/10.1136/bmj.f7592).

Jämsen E, Eskelinen A, Peltola M, Mäkelä K. High early failure rate after cementless hip replacement in the octogenarian. *Clin Orthop Relat Res.* **2014** Sep;472(9):2779-89. [doi: 10.1007/s11999-014-3641-7](https://doi.org/10.1007/s11999-014-3641-7).

Omari et al. Introduction of a New Treatment Algorithm Reduces the Number of Periprosthetic Femoral Fractures After Primary Total Hip Arthroplasty in Elderly Females. **2405 patients > 60 y.o.** *The Journal of Arthroplasty* **35** (2020) 3613e3620. [DOI: 10.1016/j.arth.2020.06.077](https://doi.org/10.1016/j.arth.2020.06.077)

Dale et al. Fixation, sex, and age: highest risk of revision for uncemented stems in elderly women — data from 66,995 primary total hip arthroplasties in the Norwegian Arthroplasty Register. **66,995 patients, > 55 y.o.** *Acta Orthopaedica* **2020**; 91 (1): 33–41 [DOI: 10.1080/17453674.2019.1682851](https://doi.org/10.1080/17453674.2019.1682851)

Hopman et al. Uncemented total hip arthroplasty; increased risk of early periprosthetic fracture requiring revision surgery in elderly females. **2635 patients >75y.o.** *Journal of Orthopaedics* **25** (2021). 40–44 [DOI: 10.1016/j.jor.2021.03.025](https://doi.org/10.1016/j.jor.2021.03.025)

3 Erfolgsfaktoren beim älteren Patienten mit Hüftarthrose

Zugang: Ramadanov, N.; Ostojic, M.; Lazaru, P.; Liu, K.; Hable, R.; Marinova-Kichikova, P.; Dimitrov, D.; Becker, R. Risk Factors and Predictors for Functional Outcome and Complication Rate in Total Hip Arthroplasty through Minimally Invasive and Conventional Approaches: A Systematic Review and Meta-Regression Analysis of 41 Randomized Controlled Trials. *J. Clin. Med.* **2023**, *12*, 5895. <https://doi.org/10.3390/jcm12185895>

Implantat design: Chatziagorou G, Lindahl H, Kärrholm J. Surgical treatment of Vancouver type B periprosthetic femoral fractures: patient characteristics and outcomes of 1381 fractures treated in Sweden between 2001 and 2011. *Bone Joint J.* **2019** Nov;101-B(11):1447-1458. [doi: 10.1302/0301-620X.101B11.BJJ-2019-0480.R2](https://doi.org/10.1302/0301-620X.101B11.BJJ-2019-0480.R2).

Zementiertechnik: Satalich JR, Lombardo DJ, Newman S, Golladay GJ, Patel NK. Cementation in total hip arthroplasty: history, principles, and technique. *EFORT Open Rev.* **2022** Dec 7;7(11):747-757. [doi: 10.1530/EOR-22-0002](https://doi.org/10.1530/EOR-22-0002)..

Zementiertechnik: Wirtz D, Sellei RM, Portheine F, Prescher A, Weber M. Einfluss der Femurmarkraumspülung auf die periprothetische Zementverteilung: Jet-Lavage versus Spritzenspülung [Effect of femoral intramedullary irrigation on periprosthetic cement distribution: jet lavage versus syringe lavage]. *Z Orthop Ihre Grenzgeb.* **2001** Sep-Oct;139(5):410-4. German. [doi: 10.1055/s-2001-17983](https://doi.org/10.1055/s-2001-17983).

BCIS: Rothberg DL, Kubiak EN, Peters CL, Randall RL, Aoki SK. Reducing the risk of bone cement implantation syndrome during femoral arthroplasty. *Orthopedics.* **2013** Apr;36(4):e463-7. [doi: 10.3928/01477447-20130327-23](https://doi.org/10.3928/01477447-20130327-23).

Dislokation: Graversen AE, Jakobsen SS, Kristensen PK, Thillemann TM. No dislocations after primary hip arthroplasty with the dual mobility cup in displaced femoral neck fracture in patients with dementia. A one-year follow-up in 20 patients. *SICOT J.* **2017**;3:9. [doi: 10.1051/sicotj/2016050](https://doi.org/10.1051/sicotj/2016050). [Epub 2017 Feb 10](https://pubmed.ncbi.nlm.nih.gov/27111111/).

4 Komplikation Protheseninfektion: Dualbeladener Knochenzement zur Infektprophylaxe bei SHF

Sprowson et al. The use of high-dose dual-impregnated antibiotic-laden cement with hemiarthroplasty for the treatment of a fracture of the hip. *Bone Joint J* **2016**;98-B:1534–41. DOI: [10.1302/0301-620X.98B11](https://doi.org/10.1302/0301-620X.98B11).

Agni NR, Costa ML, Achten J, Peckham N, Dutton SJ, Png ME, Reed MR; WHiTE 8 Investigators. High-dose dual-antibiotic loaded cement for hip hemiarthroplasty in the UK (WHiTE 8): a randomised controlled trial. *Lancet*. **2023** Jul 15;402(10397):196-202. doi: [10.1016/S0140-6736\(23\)00962-5](https://doi.org/10.1016/S0140-6736(23)00962-5).

Szymiski D, Walter N, Krull P, Melsheimer O, Lang S, Grimberg A, Alt V, Steinbrück A, Rupp M. The Prophylactic Effect of Single vs. Dual Antibiotic-Loaded Bone Cement against Periprosthetic Joint Infection Following Hip Arthroplasty for Femoral Neck Fracture: An Analysis of the German Arthroplasty Registry. *Antibiotics (Basel)*. **2023** Apr 8;12(4):732. doi: [10.3390/antibiotics12040732](https://doi.org/10.3390/antibiotics12040732).

5 Komplikation Implantationssyndrom: Risikofaktoren und Strategien zur Vermeidung von kardiopulmonalen Reaktionen

Donaldson et al. Bone cement implantation syndrome. *Br J Anaesth*. 2009 Jan;102(1):12-22. DOI: [10.1093/bja/aen328](https://doi.org/10.1093/bja/aen328)

Bökeler U, Bühler A, Eschbach D, Ilies C, Liener U, Knauf T. The Influence of a Modified 3rd Generation Cementation Technique and Vacuum Mixing of Bone Cement on the Bone Cement Implantation Syndrome (BCIS) in Geriatric Patients with Cemented Hemiarthroplasty for Femoral Neck Fractures. *Medicina (Kaunas)*. 2022 Nov 3;58(11):1587. doi: [10.3390/medicina58111587](https://doi.org/10.3390/medicina58111587).

Khanuja et al. Revisiting Cemented Femoral Fixation in Hip Arthroplasty. *J Bone Joint Surg Am*. **2022** Jun 1;104(11):1024-1033 DOI: [10.2106/JBJS.21.00853](https://doi.org/10.2106/JBJS.21.00853)

Rassir R, Schuiling M, Sierveit IN, van der Hoeven CWP, Nolte PA. What Are the Frequency, Related Mortality, and Factors Associated with Bone Cement Implantation Syndrome in Arthroplasty Surgery? *Clin Orthop Relat Res*. 2021 Apr 1;479(4):755-763. doi: [10.1097/CORR.0000000000001541](https://doi.org/10.1097/CORR.0000000000001541).

Breusch et al. Zementierte Hüftendoprothetik – Verminderung des Fettembolierisikos mittels gepulster Druckspülung. *Orthopäde* **2000**;29:578-586; Springer Verlag 2000, [online available](#).